























# Pregnancy Risk Assessment Monitoring System

A survey for healthier babies in New York City



# Important Information About PRAMS Please Read Before Starting the Survey

- The Pregnancy Risk Assessment Monitoring System (PRAMS) is a research project sponsored by the Centers for Disease Control and Prevention and the New York City Department of Health and Mental Hygiene.
- The purpose of the study is to find out why some babies are born healthy and others are not.
- We are asking 2,200 women in New York City to answer the same questions. All of your names were picked by a computer from recent birth certificates.
- It takes about 20 minutes to answer all questions. Some questions may be sensitive, such as questions about smoking or drinking during pregnancy.
- You are free to do the survey or not. If you don't want to participate at all, or if you don't
  want to answer a particular question, that's okay. There is no penalty or loss of benefits
  for not participating or answering all questions.
- Your survey may be combined with information the health department has from other sources.
- If you choose to do the survey, your answers will be kept private to the extent allowed by law and will be used only for research. If you are currently in jail, your participation in the study will have no effect on parole.
- Your name will not be on any reports from PRAMS. The booklet has a number so we
  will know when it is returned.
- Your answers will be grouped with those from other women. What we learn from PRAMS will be used to plan programs to help mothers and babies in New York City.
- If you have any questions about your rights in the project, please call the Rutgers
  University Institutional Review Board (IRB) at (732) 235-9806. If you have any questions
  about the NYC project, please call Hannah Searing, NYC PRAMS Director at
  (347) 396-4497.

If you have questions about PRAMS, or if you want to answer the questions by telephone, please call Teresa Cruz, NYC PRAMS Data Manager, at 1-888-816-7929 and press "5." The call is free.



### **Questions Commonly Asked About PRAMS**

#### What is PRAMS?

PRAMS (Pregnancy Risk Assessment Monitoring System) is a joint research project between the New York City Department of Health and Mental Hygiene and the Centers for Disease Control and Prevention (CDC). Our purpose is to find out why some babies are born healthy and others are not. To do this, our questionnaire asks new mothers questions about their behaviors and experiences around the time of their pregnancy. Each year in New York City there are hundreds of babies born with serious health problems. Many of these babies die. We need your help to find out why. No matter how your pregnancy went, your answers will help us learn more about ways to improve the chances for future mothers and babies in New York City.

### Will my answers be kept private?

Yes—all answers are kept completely private to the extent permitted by law. All answers given on the questionnaires will be grouped together to give us information on New York City mothers of new babies. In reports from this survey, no woman will be identified by name.

# How was I chosen to participate in PRAMS?

Your name was picked by chance, like in a lottery, from the state birth certificate registry. You are one of small number of women who were chosen to help us in this study.

# Is it really important that I answer these questions?

Yes! Because of the small number of mothers picked, it is important to have everyone's answers. Every pregnancy is different. To get a better overall picture of the health of mothers and babies in New York City, we need each mother selected to answer the questions. From the information you give us, we may be able to improve health care for women and children in New York City. We need to know what went right as well as what went wrong during your pregnancy. Your help is really important to the success of our program.

### Some of the questions do not seem related to health care why are they asked?

Many things in a mother's life may affect her pregnancy. These questions try to get the best picture of the new mother's health care and things that happened to her during pregnancy.

### What if I want to ask more questions about PRAMS?

Please call us at our toll-free number, 1-888-816-7929 and press 5, and we will be happy to answer any other questions that you may have about PRAMS. If you prefer to complete the questionnaire over the telephone, please call us on the same number.

Please check the box next to your answer or follow the directions included with the question. You may be asked to skip some questions that do not apply to you.

		BEF	ORE F	PREG	iNA	NC	Υ		
Th	e first c	uesti	ions a	re ak	out	t yo	u.		
1.	How tal	ll are y	ou wit	hout	sho	es?			
		Feet		Incl	nes				
		OR		Cer	ntime	eter	S		
2.	<i>Just bef</i> baby, h							our n	iew
	F	ound	s <b>OR</b>			Kilo	os		
3.	3. What is <u>your</u> date of birth?								
	Month		/ Day	/_	Yea	r			
The next questions are about the time <u>before</u> you got pregnant with your <i>new</i> baby.									
4.	Before y in gene						you	say	that,
	□ Excel □ Very □ Good □ Fair □ Poor	good							

5.	During the 3 months before you got pregnant with your new baby, did you have any of the			
	llowing health conditions? For each one,			
	neck <b>No</b> if you did not have the condition or			
	s if you did			

		Ne	o Yes
a.	ge:	pe 1 or Type 2 diabetes ( <b>not</b> stational diabetes or diabetes that orts during pregnancy)	
b.		gh blood pressure or hypertension 🖵	
c.		pression	
d.		thma	
e.		emia (poor blood, low iron)	
f.		eart problems	
g.		ilepsy (seizures)	
h.		yroid problems	
i.		OS (polycystic ovarian syndrome)	
j.		xiety	
k.	All	ergies	
	dic vit	4 to 6 times a week Every day of the week	l itamin, re l got
7.	wi ca he	the 12 months before you got pregna ith your new baby, did you have any h re visits with a doctor, nurse, or othe ealth care worker, including a dental o ental health worker?	health er
		No Go to Page 2, Ques	stion 10
		Yes	
Go	to	Page 2, Question 8	

8.	What type of health care visit did you have in the 12 months before you got pregnant with your new baby?  Check ALL that apply	The next questions are about your health insurance coverage before, during, and after your pregnancy with your new baby.
	<ul> <li>□ Regular checkup at my family doctor's office</li> <li>□ Regular checkup at my OB/GYN's office</li> <li>□ Visit for an illness or chronic condition</li> <li>□ Visit for an injury</li> </ul>	10. During the <u>month before</u> you got pregnant with your new baby, what kind of health insurance did you have?
	<ul> <li>□ Visit for family planning or birth control</li> <li>□ Visit for depression or anxiety</li> <li>□ Visit to have my teeth cleaned by a dentist or dental hygienist</li> <li>□ Other → Please tell us:</li> </ul>	Check ALL that apply  ☐ Private health insurance from my job or the job of my husband or partner ☐ Private health insurance from my parents ☐ Private health insurance from the New York State Health Insurance Marketplace (nystateofhealth.ny.gov) or HealthCare.gov ☐ Medicaid ☐ Servite Marketplace
9.	During any of your health care visits in the 12 months before you got pregnant, did a doctor, nurse, or other health care worker do any of the following things? For each item, check No if they did not or Yes if they did.	☐ Family Health Plus ☐ Child Health Plus ☐ Family Planning Benefit Program ☐ TRICARE or other military health care ☐ Other health insurance → Please tell us:
b.	No Yes  Tell me to take a vitamin with folic acid   Talk to me about maintaining a healthy weight	☐ I did not have any health insurance during the month before I got pregnant
	Talk to me about controlling any medical conditions such as diabetes or high blood pressure	11. During your <u>most recent pregnancy</u> , what kind of health insurance did you have for your <i>prenatal care</i> ?
d.	Talk to me about my desire to have or not have children	Check ALL that apply
e.	Talk to me about using birth control to prevent pregnancy	☐ I did not go for prenatal care → Go to Question 12
f.	Talk to me about how I could improve my	<ul> <li>Private health insurance from my job or the job of my husband or partner</li> </ul>
g.	health before a pregnancy	☐ Private health insurance from my parents ☐ Private health insurance from the New York State Health Insurance Marketplace (nystateofhealth.ny.gov) or HealthCare.gov
	Ask me if I was smoking cigarettes	☐ Medicaid
i.	Ask me if someone was hurting me emotionally or physically	☐ Family Health Plus ☐ Child Health Plus ☐ TRICARS ### ### ### ########################
j.	Ask me if I was feeling down or depressed	<ul> <li>□ TRICARE or other military health care</li> <li>□ Other health insurance → Please tell us:</li> </ul>
	Ask me about the kind of work I do	
I.	Test me for HIV (the virus that causes AIDS)	☐ I did not have any health insurance for my prenatal care

12.	What kind of health inst	urance do you have	16. When you got pregnant with your new baby, were you or your husband or partner doing		
	<u>11014</u> .	Check ALL that apply	anything to keep from getting pregnant?		
<ul> <li>Private health insurance from my job or the job of my husband or partner</li> <li>Private health insurance from my parents</li> <li>Private health insurance from the New</li> </ul>		ner ce from my parents	Some things people do to keep from getting pregnant include having their tubes tied, using birth control pills, condoms, withdrawal, or natural family planning.		
	York State Health Insur	·	No		
	(nystateofhealth.ny.go ☐ Medicaid	v) or HealthCare.gov	☐ Yes → ☐ Go to Page 4, Question 20		
	<ul> <li>Family Health Plus</li> <li>Child Health Plus</li> <li>Family Planning Benef</li> <li>TRICARE or other milita</li> </ul>		17. What were your reasons or your husband's or partner's reasons for not doing anything to keep from getting pregnant?		
	☐ Other health insurance	Please tell us:	Check ALL that apply		
13.	I do not have health in  Thinking back to just be with your new baby, how becoming pregnant?	fore you got pregnant	□ I didn't mind if I got pregnant □ I thought I could not get pregnant at that time □ I had side effects from the birth control method I was using □ I had problems getting birth control when I needed it □ I thought my husband or partner or I was sterile (could not get pregnant at all) □ My husband or partner didn't want to use		
	☐ I wanted to be pregnan ☐ I wanted to be pregnan ☐ I wanted to be pregnan ☐ I didn't want to be preg ☐ then or at any time in th ☐ future ☐ I wasn't sure what I wan	t sooner t then nant ne Go to Question 15	anything ☐ I forgot to use a birth control method ☐ Other → Please tell us:  If you were not trying to get pregnant when you got pregnant with your new baby, go to		
14.	How much longer did yo become pregnant?	ou want to wait to	Page 4, Question 20.		
	<ul> <li>Less than 1 year</li> <li>1 year to less than 2 ye</li> <li>2 years to less than 3 y</li> <li>3 years to 5 years</li> <li>More than 5 years</li> </ul>		18. Did you take any fertility drugs or receive any medical procedures from a doctor, nurse, or other health care worker to help you get pregnant with your new baby? This may include infertility treatments such as fertility-		
15.	When you got pregnant were you trying to get p		enhancing drugs or assisted reproductive technology.		
	- No Pes - P	Go to Question 18	□ No → Go to Page 4, Question 20  Yes		
Go	to Question 16		Go to Page 4, Question 19		

19.	Did you use any of the following fertility
	treatments during the month you got pregnant
	with your new baby?

#### Check ALL that apply

- ☐ Fertility-enhancing drugs prescribed by a doctor (fertility drugs include Clomid®, Serophene®, Pergonal®, or other drugs that stimulate ovulation)
- Artificial insemination or intrauterine insemination (treatments in which sperm, but NOT eggs, were collected and medically placed into a woman's body)
- Assisted reproductive technology (treatments in which BOTH a woman's eggs and a man's sperm were handled in the laboratory, such as in vitro fertilization [IVF], gamete intrafallopian transfer [GIFT], zygote intrafallopian transfer [ZIFT], intracytoplasmic sperm injection [ICSI], frozen embryo transfer, or donor embryo transfer)
- $lue{}$  Other medical treatment  $\longrightarrow$  Please tell us:
- ☐ I wasn't using fertility treatments *during the month* that I got pregnant with my new baby

#### **DURING PREGNANCY**

The next questions are about the prenatal care you received during your most recent pregnancy. Prenatal care includes visits to a doctor, nurse, or other health care worker before your baby was born to get checkups and advice about pregnancy. (It may help to look at the calendar when you answer these questions.)

20. How many weeks or months pregnant were you when you had your first visit for prenatal care?

<del> </del>	Weeks	OR		Months
<b> </b>	dn't go fo enatal care		<b></b>	Go to Question 23

Go to Question 21

21.	Where did you go most of prenatal care visits? Do no WIC.	
	WIC.	Check ONE answer
	<ul> <li>Private doctor's office</li> <li>Hospital clinic</li> <li>Health department clinic</li> <li>Neighborhood health clinealth clinic</li> <li>Other</li> </ul>	
22.	During any of your prenat doctor, nurse, or other he you any of the things liste item, check <b>No</b> if they did n <b>Yes</b> if they did.	alth care worker asked below? For each
		No Yes
a.	If I knew how much weight	
b.	gain during pregnancy  If I was taking any prescript	
D.	medication	
c.	If I was smoking cigarettes	
d.	If I was drinking alcohol	
e.	If someone was hurting me or physically	
f.	If I was feeling down or depre	
g.	If I was using drugs such as	
	cocaine, crack, or meth	
h.	If I wanted to be tested for I virus that causes AIDS)	
i.	If I planned to breastfeed m	
j.	If I planned to use birth con baby was born	trol after my
k.	About my risk for lead poise	oning
l.	About second-hand smoke	exposure
23.	During the 12 months bet your new baby, did a doct health care worker offer y you to get one?	tor, nurse, or other
	□ No □ Yes	

	ring the 12 months <i>befo</i> ur new baby, did you <i>get</i>	a flu shot?	27.	During your most recent pr you have your teeth cleaned dental hygienist?	
		Check ONE answer		75	
	No ————————————————————————————————————		l _	□ No □ Yes	
<b>V</b>	· · · · · · · · · · · · · · · · · · ·		28.	This question is about other	•
25. Wh	nere did you get your flu	shot? Check ONE answer		teeth <u>during</u> your most rece each item, check <b>No</b> if it is no apply to you or <b>Yes</b> if it is true	ot true or does not
If you	My obstetrician or gyneco My family doctor or other A health department or co A hospital A pharmacy, drug store, o My work place or school Other————————————————————————————————————	doctor's office ommunity clinic or grocery store  Please tell us:  estion 27.  r not getting a flubefore the birth of	b. c. d. e.	I knew it was important to cateeth and gums during my p A dental or other health care talked with me about how to my teeth and gums I had insurance to cover dent during my pregnancy I needed to see a dentist for a went to a dentist or dental caproblem  During your most recent pridid you think about breast baby?	worker care for cal care a problem
	s not a reason for you or <b>Y</b>			☐ I knew I wanted to breast	feed
abo	doctor didn't mention any out a flu shotas as worried about side effec	cts of the		☐ I thought I might breastfe☐ I knew I would <i>not</i> breast☐ I didn't know what to do a	eed feed
c. I wa	shot for meas worried that the flu sho m my baby	t might	30.	During your most recent pr on WIC (the Special Supple Program for Women, Infan	mental Nutrition
e. I do f. I do g. Oth	as not worried about getti flu o not think the flu shot wo on't normally get a flu shot nerase tell us:	rks		□ No □ Yes	

31. During your most recent pregnancy, did you have any of the following health conditions?	<b>35.</b> How many cigarettes do you smoke on an average day now? A pack has 20 cigarettes.
For each one, check <b>No</b> if you did not have the condition or <b>Yes</b> if you did.	<ul><li>41 cigarettes or more</li><li>21 to 40 cigarettes</li></ul>
a. Gestational diabetes (diabetes that started during this pregnancy)	☐ 11 to 20 cigarettes ☐ 6 to 10 cigarettes ☐ 1 to 5 cigarettes ☐ Less than 1 cigarette ☐ I don't smoke now
c. Depression	The next questions are about using other tobacco products around the time of pregnancy.
cigarettes around the time of pregnancy	
(before, during, and after).  32. Have you smoked any cigarettes in the <i>past</i>	E-cigarettes (electronic cigarettes) and other electronic nicotine products (such as vape pens, e-hookahs, hookah pens, e-cigars, e-pipes) are
2 years?  ☐ No → Go to Question 36 ☐ Yes	battery-powered devices that use nicotine liquid rather than tobacco leaves, and produce vapor instead of smoke.
Tes les	A <b>hookah</b> is a water pipe used to smoke tobacco. It
33. In the 3 months <u>before</u> you got pregnant, how many cigarettes did you smoke on an average	is not the same as an e-hookah or hookah pen.  Cigars, cigarillos, or little filtered cigars
day? A pack has 20 cigarettes.  41 cigarettes or more 21 to 40 cigarettes 11 to 20 cigarettes 6 to 10 cigarettes 1 to 5 cigarettes	resemble cigarettes in size, shape, and packaging in packs of 20, but they differ by being wrapped in brown paper that contains some tobacco leaf.  Cigarillos are longer and slimmer versions of a large cigar that sometimes have a wood or plastic tip.
<ul><li>Less than 1 cigarette</li><li>I didn't smoke then</li></ul>	<b>36.</b> Have you used any of the following products in the <i>past 2 years?</i> For each item, check <b>No</b> if you did not use it or <b>Yes</b> if you did.
34. In the <u>last 3</u> months of your pregnancy, how many cigarettes did you smoke on an average day? A pack has 20 cigarettes.	No Yes  a. E-cigarettes or other electronic nicotine
<ul> <li>□ 41 cigarettes or more</li> <li>□ 21 to 40 cigarettes</li> <li>□ 11 to 20 cigarettes</li> <li>□ 6 to 10 cigarettes</li> </ul>	b. Hookah
<ul><li>1 to 5 cigarettes</li><li>Less than 1 cigarette</li><li>I didn't smoke then</li></ul>	If you used e-cigarettes or other electronic nicotine products in the <i>past 2 years</i> , go to Question 37. Otherwise, go to Question 39.

37. During the 3 months <u>before</u> you got pregnant, on average, how often did you use e-cigarettes or other electronic nicotine products?	Pregnancy can be a difficult time. The next questions are about things that may have happened <i>before</i> and <i>during</i> your most recent pregnancy.
<ul><li>More than once a day</li><li>Once a day</li></ul>	
<ul> <li>Office a day</li> <li>2-6 days a week</li> <li>1 day a week or less</li> <li>I did not use e-cigarettes or other electronic nicotine products then</li> </ul>	41. This question is about things that may have happened during the 12 months before your new baby was born. For each item, check No if it did not happen to you or Yes if it did. (It may help to look at the calendar when you answer these questions.)
38. During the <u>last 3</u> months of your pregnancy,	No Yes
on average, how often did you use e-cigarettes or other electronic nicotine products?	a. A close family member was very sick and had to go into the hospital
☐ More than once a day	b. I got separated or divorced from my husband or partner
☐ Once a day ☐ 2-6 days a week	c. I moved to a new address
☐ 1 day a week or less	d. I was homeless or had to sleep outside, in a car, or in a shelter
<ul> <li>I did not use e-cigarettes or other electronic nicotine products then</li> </ul>	e. My husband or partner lost their job
	f. I lost my job even though I wanted to go
The next questions are about drinking alcohol around the time of pregnancy.	g. My husband, partner, or I had a cut in work hours or pay
20.11	h. I was apart from my husband or partner
<b>39.</b> Have you had any alcoholic drinks in the <i>past</i> 2 <i>years</i> ? A drink is 1 glass of wine, wine cooler,	due to military deployment or extended work-related travel
can or bottle of beer, shot of liquor, or mixed drink.	i. I argued with my husband or partner more than usual
□ No → Go to Question 41 □ Yes	j. My husband or partner said they didn't want me to be pregnant
<b>↓</b>	k. I had problems paying the rent, mortgage, or other bills
<ol> <li>During the 3 months <u>before</u> you got pregnant, how many alcoholic drinks did you have in an</li> </ol>	I. My husband, partner, or I went to jail
average week?	m. Someone very close to me had a problem with drinking or drugs
☐ 14 drinks or more a week☐ 8 to 13 drinks a week☐ 4 to 7 drinks a week☐	n. Someone very close to me died
<ul> <li>4 to 7 drinks a week</li> <li>1 to 3 drinks a week</li> <li>Less than 1 drink a week</li> <li>I didn't drink then</li> </ul>	42. During the 12 months before your new baby was born, did you feel emotionally upset (for example, angry, sad, or frustrated) as a result of how you were treated based on your race?
	□ No □ Yes

43. In the 12 months before you got pregnant with your new baby, did any of the following people push, hit, slap, kick, choke, or physically hurt you in any other way? For each person, check No if they did not hurt you during this time or Yes if they did.	47. Is your baby alive now?  No Yes We are very sorry for your loss. Go to Page 11, Question 64  48. Is your baby living with you now?
a. My husband or partner	<ul> <li>No ———— Go to Page 10, Question 62</li> <li>49. Before or after your new baby was born, did you receive information about breastfeeding from any of the following sources? For each one, check No if you did not receive information from this source or Yes if you did.</li> </ul>
No Yes  a. My husband or partner	b. A nurse, midwife, or doula
AFTER PREGNANCY  The next questions are about the time since your new baby was born.  45. When was your new baby born?	e. A breastfeeding support group
Month Day Year  46. After your baby was delivered, how long did	50. Did you ever breastfeed or pump breast milk to feed your new baby, even for a short period of time?
he or she stay in the hospital?  Less than 24 hours (less than 1 day) 24 to 48 hours (1 to 2 days) 3 to 5 days 6 to 14 days More than 14 days My baby was not born in a hospital My baby is still in the hospital  Go to Question 47  Go to Question 47	Go to Page 10, Question 56  Yes  51. Are you currently breastfeeding or feeding pumped milk to your new baby?  No Yes  Go to Question 54  Go to Question 52

52. How many weeks or months did you breastfeed or feed pumped milk to your baby?	If your baby was not born in a hospital, go to Question 55.
Less than 1 week  Weeks OR Months	54. This question asks about things that may have happened at the hospital where your new baby was born. For each item, check No if it did not happen or Yes if it did.  No Yes
By breastfeeding?  Check ALL that apply  My baby had difficulty latching or nursing Breast milk alone did not satisfy my baby I thought my baby was not gaining enough weight  My nipples were sore, cracked, or bleeding or it was too painful I thought I was not producing enough milk, or my milk dried up I had too many other household duties I felt it was the right time to stop breastfeeding I got sick or I had to stop for medical reasons I went back to work I went back to school My partner did not support breastfeeding My baby was jaundiced (yellowing of the skin or whites of the eyes)  Other → Please tell us:	a. Hospital staff gave me information about breastfeeding
	55. How old was your new baby the first time he or she had liquids other than breast milk (such as formula, water, juice, or cow's milk)?  Weeks OR Months  My baby was less than 1 week old  My baby has not had any liquids other than breast milk

56. How old was your new baby the first time he or she ate food (such as baby cereal, baby food, or any other food)?	60. Listed below are some more things about how babies sleep. How did your new baby usually sleep in the past 2 weeks? For each item, check No if your baby did not usually sleep like this or Yes if he or she did.
Weeks OR Months  My baby was less than 1 week old  My baby has not eaten any foods  If your baby is still in the hospital, go to Question 62.  57. In which one position do you most often lay your baby down to sleep now?  Check ONE answer	a. In a crib, bassinet, or pack and play
<ul> <li>□ On his or her side</li> <li>□ On his or her back</li> <li>□ On his or her stomach</li> <li>58. In the past 2 weeks, how often has your new</li> </ul>	61. Did a doctor, nurse, or other health care worker tell you any of the following things?  For each thing, check <b>No</b> if they did not tell you or <b>Yes</b> if they did.
baby slept alone in his or her own crib or bed?  Always Often Sometimes Rarely Never Go to Question 60  59. When your new baby sleeps alone, is his or her crib or bed in the same room where you	a. Place my baby on his or her back to sleep
sleep?  No Yes	62. Since your new baby was born, has a home visitor come to your home to help you learn how to take care of yourself or your new baby? A home visitor is a nurse, a health care worker, a social worker, or other person who works for a program that helps mothers of newborns.   Go to Question 64  Go to Question 63

63. What kind of home visitor has come to your home since your new baby was born?	If you or your husband or partner is <u>not doing</u> anything to keep from getting pregnant <i>now</i> ,
<ul> <li>A nurse or nurse's aide</li> <li>A teacher or health educator</li> <li>A doula or midwife</li> <li>Someone from the Nurse Family Partnership</li> <li>Someone from the NYC Department of Health's Newborn Home Visiting Program</li> </ul>	go to Question 67.  66. What kind of birth control are you or your husband or partner using <i>now</i> to keep from getting pregnant?
☐ Someone else → Please tell us:	Check ALL that apply
☐ I don't know  64. Are you or your husband or partner doing anything now to keep from getting pregnant?	<ul> <li>□ Tubes tied or blocked (female sterilization or Essure®)</li> <li>□ Vasectomy (male sterilization)</li> <li>□ Birth control pills</li> <li>□ Condoms</li> <li>□ Shots or injections (Depo-Provera®)</li> <li>□ Contraceptive patch (OrthoEvra®) or vaginal</li> </ul>
Some things people do to keep from getting pregnant include having their tubes tied, using birth control pills, condoms, withdrawal, or natural family planning.	ring (NuvaRing®)  IUD (including Mirena®, ParaGard®, Liletta®, or Skyla®)  Contraceptive implant in the arm (Nexplanon®
☐ No ☐ Yes	or Implanon®)  Natural family planning (including rhythm method)  Withdrawal (pulling out)
65. What are your reasons or your husband's or partner's reasons for not doing anything to keep from getting pregnant now?  Check ALL that apply	□ Not having sex (abstinence) □ Other → Please tell us:
<ul> <li>I want to get pregnant</li> <li>I am pregnant now</li> <li>I had my tubes tied or blocked</li> <li>I don't want to use birth control</li> <li>I am worried about side effects from birth control</li> <li>I am not having sex</li> <li>My husband or partner doesn't want to use anything</li> <li>I have problems paying for birth control</li> <li>Other → Please tell us:</li> </ul>	67. Since your new baby was born, have you had a postpartum checkup for yourself? A postpartum checkup is the regular checkup a woman has about 4-6 weeks after she gives birth.  Go to Page 12, Question 69  Go to Page 12, Question 68

68.	During your postpartum checkup, did a doctor, nurse, or other health care worker do any of the following things? For each item, check No if they did not do it or Yes if they did.	71. Since your new baby was born, have you asked for help for depression from a doctor, nurse, or other health care worker?
	No Yes	☐ No☐ Yes
a.	Tell me to take a vitamin with folic acid 🔲 🛛	
	Talk to me about healthy eating, exercise, and losing weight gained during pregnancy	72. Since your new baby was born, has a doctor, nurse, or other health care worker told you that you had depression?
	Talk to me about how long to wait before getting pregnant again	☐ No — Go to Question 75 ☐ Yes
d.	Talk to me about birth control methods I can use after giving birth	↓
e.	Give or prescribe me a contraceptive method such as the pill, patch, shot (Depo-Provera®), NuvaRing®,	73. Since your new baby was born, have you gotten counseling for your depression?
£	or condoms	□ No □ Yes
1.	Insert an IUD (Mirena®, ParaGard®, Liletta®, or Skyla®) or a contraceptive	74. Since your new baby was born, have you taken
а	implant (Nexplanon® or Implanon®)   Ask me if I was smoking cigarettes	prescription medicine for your depression?
_	Ask me if someone was hurting me emotionally or physically	□ No □ Yes
i.	Ask me if I was feeling down or depressed	75. Since your new baby was born, was there
j.	Test me for diabetes	a time when you thought you needed
k.	Ask me how breastfeeding was going	treatment or counseling for depression but didn't get it?
69.	Since your new baby was born, how often have you felt down, depressed, or hopeless?	□ No — Go to Question 77 □ Yes
	□ Always	<b>\</b>
	□ Often	76. What were your reasons for not getting
	☐ Sometimes ☐ Rarely	treatment or counseling for depression? For each item, check <b>No</b> if was not a reason for you
	Never	or <b>Yes</b> if it was.
70	Since your new baby was born, how often have	No Yes
70.	you had little interest or little pleasure in	a. I had trouble finding a provider that I liked
	doing things you usually enjoyed?	b. It seemed too difficult or overwhelming
	□ Always □ Often □ Sometimes	c. I was worried about the cost or could not afford it
	□ Rarely	d. I did not have time because of a job,
	□ Never	childcare, or another commitment
		e. I could not find a provider who spoke

#### **OTHER EXPERIENCES**

The next questions are on a variety of topics.

If you did not get prenatal care during your most recent pregnancy, go to Question 78.

- 77. During any of your prenatal care visits, did a doctor, nurse, or other health care worker recommend that you get a Tdap shot or vaccination? A Tdap vaccination is a tetanus booster shot that also protects against pertussis (whooping cough).
  - □ No□ Yes
- **78.** During your most recent pregnancy, did you get a Tdap shot or vaccination? A Tdap vaccination is a tetanus booster shot that also protects against pertussis (whooping cough).

	No	-	Go to Question 80
	I don't know	-	Go to Question 81
J.			

79. During which trimester did you receive the Tdap shot?

**Check ONE answer** 

- ☐ First
- Second
- Third
- ☐ I don't remember

If you got a Tdap shot, go to Question 81.

80.	Tdap shot or vaccination during your recent pregnancy? For each item, cl was not a reason for you or Yes if it was	our most heck <b>No</b> if it		
		No Yes		
a.	My doctor didn't mention anything about a Tdap shot			
b.	I was worried about side effects of th Tdap shot for me			
c.	I was worried that the Tdap shot migharm my baby			
d.	I was not worried about getting sick with pertussis			
e.	I do not think the Tdap shot works			
f. g.	I don't normally get a Tdap shot My insurance did not cover the Tdap			
h.	shotI don't have insurance and could not			
	afford the Tdap shot			
i.	I cannot receive the Tdap shot for medical reasons			
j. k.	I cannot receive the Tdap shot for religious reasons			
	Please tell us:			
81.	At any time during your most recent pregnancy, did you work at a job for			
_	<ul> <li>□ No</li></ul>	Question 86		
$\downarrow$	<b>-</b> .es			
82.	Have you returned to the job you by your most recent pregnancy?	nad during		
	Check	ONE answer		
	to return 0	to Page 14, uestion 86		
<b>\</b>	☐ No, but I will be returning ☐ Yes			
Go	to Page 14, Question 83			
33				

83.	Did you take leave from baby was born?	work <i>after</i> your new  Check ALL that apply	87. In the last 30 days, have you been concerned about having enough food for you or your family?
_{	☐ I took <i>paid</i> leave from r☐ I took <i>unpaid</i> leave from I took leave and used T☐ I took leave from r☐ I to	my job m my job	□ No □ Yes
	Insurance  I did not take any leave	→ Go to Question 85	The last questions are about the time during the 12 months before your new baby was born.
84.	How many weeks <i>or</i> modid you take or will you		88. During the <i>12 months before</i> your new
	Weeks <b>OR</b> □ Less than 1 week	Months	baby was born, what was your yearly total household income before taxes? Include your income, your husband's or partner's income, and any other income you may have received. All information will be kept private and will not affect any services you are now getting.
85.	Did any of the things list decision about taking le your new baby was born No if it does not apply to y	ave from work after ? For each item, check	\$0 to \$16,000 \$16,001 to \$20,000 \$20,001 to \$24,000
b. c. d.	I could not financially affor leave	if I took leave	\$24,001 to \$28,000 \$28,001 to \$32,000 \$32,001 to \$40,000 \$40,001 to \$48,000 \$48,001 to \$57,000 \$57,001 to \$60,000 \$60,001 to \$73,000 \$73,001 to \$85,000 \$85,001 or more
	work schedule I had not built up enough to take any or more time of	leave time	89. During the 12 months before your new baby was born, how many people, including yourself, depended on this income?
	your baby is not alive, is r		People
96	During the past week, h	ow many days did	90. What is today's date?
80.	you or other family men tell stories to your new b	nbers read, sing or	/
	<ul><li>No days</li><li>1 or 2 days</li><li>3 or 4 days</li><li>5 or 6 days</li><li>Every day</li></ul>		Month Day Year

Please use this space for any additional comments you would like to make about your experiences around the time of your pregnancy or the health of mothers and babies in New York City.

Thanks for answering our questions!

Your answers will help us work to keep mothers and babies in New York City healthy.